RFP-1325.02 (Rev. 2/95) Previously RF-46522

CORRES. CONTROL INCOMING LTR NO.

02324RF95

DUE DATE



Department of Energy

ROCKY FLATS FIELD OFFICE P.O. BOX 928 GOLDEN, COLORADO 80402-0928

SEP 1 5 1995

95-DOE-14124

		_
ACTION		
DIST.	LTR	ΕN
BORGMAN, K.A.		
BUHL, T.R.		
BURKHART, K.M.	_	L
CARD, R.G.	<u> </u>	L
EVANS, B.L.	L	┡
FENN, T.M.		┞-
FERRERA, D.W.	-	L
HEALY T.J.	$\boldsymbol{\mu}$	┡
HILL, J.A.		⊢
KELL, R.E.	Μ.	⊢
MANI. V.	-	⊢
	\vdash	⊢
MARTINEZ, L.A. MCGOVERN, L.J.		┢
MCKIBBIN, J.G.		Н
OKEY, R.		Т
O'BRIEN, G.D.		Г
PANGERSIS, P.A. RICHEY, C.L. SANDLIN, N.B.		
RICHEY, C.L.		
SANDLIN, N.B.		
SHUMWAY, W.K.		
TUOR, N.R.		
TURNER, K.A.		
VOORHEIS, G.M.	Ш	_
WALLER, C.A.	Ш	L
11	-	_
HERAHL, J	A	L
PARKET, It	X	***
		-
	Н	_
	H	
	\vdash	-
		_
	Н	_
	\vdash	_
		-

Joe Schieffelin
Rocky Flats Unit Leader
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive
Denver, Colorado 80222-1530

Dear Mr. Schieffelin:

Please find enclosed the responses to the comments submitted by the Colorado Department of Public Health and Environment on August 24, 1995, on the "Draft Permit Modification of State Resource Conservation and Recovery Act Permit for Rocky Flats Environmental Technology Site for Storage and Treatment of Contaminated Soils from Individual Hazardous Substance Site 109." Additionally, please find enclosed the revised "Draft Proposed Action Memorandum and Draft Modification of the Colorado Hazardous Waste Corrective Action Section of the Operating Permit for Rocky Flats Environmental Technology Site."

If you have any questions regarding these comment responses or the permit modification, please contact Steve Tower at 966-2133 or Dave Grosek at 966-3305.

Sincerely,

Keith A. Klein Deputy Manager

Enclosures

D. Grosek, TPS, RFFO

B. Fitch, PD, RFFO D. George, E&M, RFFO

 ∞ :

CORRES. CONTROL X X
ADMN RECORD/080 X
PATS/T130G

Reviewed for Addressee Corres. Control RFP

9/18/95 BY

Ref Lir. #

T. Hedahl, K-H A. Parker, RMRS M. Hestmark, EPA Admin Record

ADMIN RECCRD BZ-BZ-A-00253

DOE ORDER # 5480 .19

11